the Botanical Magazine, *t.* 703, is more than a variety of this species. The characters taken from the comparative length of the stem and leaves, of the inner petals and stigmas, and the direction of the stem and of the stigmas ; are all subject to variation. Michaux, Elliott and Pursh make the Virginica synonymous with Iris hexagona of Walter, which seems permanently distinguished by the deep furrows in the angles of its capsule.

The Iris versicolor is found throughout the United States in the borders of swamps and in wet meadows, of which it forms a principal ornament in the month of June. No race of vegetables can be better marked than the elegant genus to which this plant belongs. They are essentially distinguished by *a corolla, parted into six segments or petals, of which three are reflexed and three are erect. The stigmas resembling petals.* The species in our plate has *ensiform leaves, its stem acute on one side, its capsules oblong, three sided, with obtuse angles.*

Class *Triandria*,—Order *Monogynia*.—Natural orders, *Ensatæ*, Lin. *Irides*, Juss.

The root is fleshy, horizontal, sending down a multitude of fibres. Stem two or three feet high, round on one side, acute on the other, frequently branched, and bearing from two to six flowers.

Leaves sword shaped, striated, sheathing at base. Bractes becoming scarious. Peduncles of various length, flattened on the inside. Germ three cornered, with flat sides and obtuse angles. Outer petals of the flower spatulate, beardless, the border purple, the claw variegated with green, yellow and white, and veined with purple. Inner petals erect, varying in shape from spatulate to lanceolate, usually paler than the outer, entire or emarginate. Style short, concealed; stigmas three, petal-form, purple or violet, resting on the outer petals, their extremeties bifid, crenate, and more or less reflexed ; their lower lip short. Stamens concealed under the stigmas, with oblong-linear anthers. Capsule three celled, three valved ; when ripe, oblong, turgid, three sided, with roundish angles. Seeds numerous, flat.

The young leaves of this and some other species of Iris, afford an excellent view of the spiral filament, which lines the sap vessels of the leaf. If a leaf, which has just emerged from the ground, be carefully broken across, and the segments gradually drawn asunder, these fine filaments will unroll themselves, and their spiral structure become very obvious to the microscope.

The root of the Iris versicolor has a nauseous taste, and when swallowed or held in the mouth,